



CERTIFICATE OF ACCREDITATION

ANSI-ASQ National Accreditation Board

500 Montgomery Street, Suite 625, Alexandria, VA 22314, 877-344-3044

This is to certify that

Matheson Tri-Gas, Inc.

Twinsburg Facility

1650 Enterprise Parkway

Twinsburg, OH 44087

has been assessed by ANAB
and meets the requirements of international standard

ISO/IEC 17025:2005

while demonstrating technical competence in the field of

TESTING

Refer to the accompanying Scope of Accreditation for information regarding the types of tests to which this accreditation applies.

AT-2019

Certificate Number


ANAB Approval

Certificate Valid: 02/06/2018-12/21/2019
Version No. 003 Issued: 02/06/2018



This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2005. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISO-ILAC-IAF Communiqué dated April 2017).



SCOPE OF ACCREDITATION TO ISO/IEC 17025:2005

Matheson Tri-Gas, Inc.
Twinsburg Facility
1650 Enterprise Parkway
Twinsburg, OH 44087
Judith Zadavec (330) 425-4407

TESTING

Valid to: **December 21, 2019**

Certificate Number: **AT-2019**

Chemical

Specific Tests and/or Properties Measured	Specification, Standard, Method, or Test Technique	Items, Materials or Product Tested	Key Equipment or Technology
Oxygen	EPA 600/R-12/531 May 2012	Gaseous Cylinders	Paramagnetic
Nitric Oxide	EPA 600/R-12/531 May 2012	Gaseous Cylinders	Chemiluminescence
Oxides of Nitrogen	EPA 600/R-12/531 May 2012	Gaseous Cylinders	Chemiluminescence
Carbon Monoxide	EPA 600/R-12/531 May 2012	Gaseous Cylinders	NDIR
Methane	EPA 600/R-12/531 May 2012	Gaseous Cylinders	FID
Propane	EPA 600/R-12/531 May 2012	Gaseous Cylinders	FID
Carbon Dioxide	EPA 600/R-12/531 May 2012	Gaseous Cylinders	NDIR TCD
Sulfur Dioxide	EPA 600/R-12/531 May 2012	Gaseous Cylinders	NDIR

Note:

1. This scope is formatted as part of a single document including Certificate of Accreditation No. AT-2019.



Vice President